


The logo for IlluTank, featuring the word "IlluTank" in a bold, sans-serif font. The "I" is white and set against a dark grey square background, while the rest of the text is dark grey on a white background.

IlluTank Opto Co., Ltd

Shenzhen . China



IlluTank Opto Co., Ltd located in Shenzhen China, dedicated in LED light source since 2007. Our solution widely used for illuminated signage, lighting decoration. Mainly in SMD LED solutions: LED module light, LED strip light in flexible and rigid, LED neon light, LED tube light LED pixel light and related accessories.

IlluTank Opto with mature design solution and also large supply capacity, because of our professional SMT team.

We may help:

LED sign maker, shop owner,
LED light source wholesalers,
Electrical project contractor,
Trader in signage material,
Also DIY lighting house owner.

We dedicated to supply reliable & competitive energy-saving lighting solution.

Contact us for more, we will be glad to support you in our professional area.

LED Module Light

IlluModule for channel letter sign, light-box.

Model	Light source	LEDs	Shell	Waterproof
300X3	SMD5050	3	PVC	IP67
300X4	SMD5050	4	Iron	IP67
200X3	SMD3528	3	PVC	IP67
L200X4	SMD2538	4	Iron + Len 150	IP67
I400X3	SMD5630	3	ABS injection	IP67
300X2	SMD5050	2	PVC	IP67
200X2	SMD3528	2	PVC	IP67
More	SMD2835/ 335/ 3020	5/4/ 3/2	Iron/ PVC/ ABS	IP67/ IP62



LED Strip Light

IlluStrip for coving lighting, counter lighting, light-box.



Model	Light source	LEDs	Material	Waterproof
300B	SMD5050	60/M	PCB	IP60
300A	SMD5050	30/M	PCB + Epoxy	IP65
200B	SMD3528	60/M	PCB + PU glue	IP65
200C	SMD2538	60/M	PCB + PU tube	IP67
400B	SMD5630	60/M	PCB	IP60
200D	SMD3528	60/M	PU + Epoxy	IP68
300C	SMD5050	60/M	PCB	IP60
150B	SMD 335	60/M	PCB + Epoxy	IP65
200A	SMD3528	30/M	PCB + PU glue	IP65
More	SMD/ DIP	any	OEM	IP65/67/68

PU glue, and color glue waterproof strip release!!

LED Neon Light

IlluNeon for neon signage, building edge lighting.

Model	Light source	LEDs	Shell	Pin/Color
300AX	DIP F5	80/M	Soft PVC 16*26mm	2/ 1
300BX	DIP F5	100/M	Soft PVC 16*26mm	2/ 1
200CX	DIP F5	120/M	Soft PVC 16*26mm	2/ 1
200DX	DIP F5	240/M	Soft PVC 28*26mm	2/ 1
302BX	DIP F5	100/M	Soft PVC 16*26mm	2/ 2
302CX	DIP F5	120/M	Soft PVC 16*26mm	2/ 2
304BX	DIP F5	100/M	Soft PVC 16*26mm	2/ 4
304CX	DIP F5	120/M	Soft PVC 16*26mm	2/ 4
304DF	DIP F5	120/M	Soft PVC 16*26mm	2/ RGB
More	DIP/SMD	OEM	OEM	



LED Bar Light

IlluBar for light-box, counter lighting, edge lighting.



Model	Light source	LEDs	Material	Waterproof
300B1	SMD5050	60/M	RF PCB + Alum	IP67
300B2	SMD5050	30/M	Alum PCB + Alum	IP67
200B	SMD3528	60/M	RF PCB	IP60
200C	SMD2538	60/M	Alum PCB + Alum	IP67
400B	SMD5630	60/M	Alum PCB + Alum	IP67
300E	SMD5050	72/M	Alum PCB + Alum	IP67
300C	SMD5050	60/M	Alum PCB + Alum	IP67
150B	SMD 335	60/M	Alum PCB + Alum	IP67
250B	SMD2835	60/M	Alum PCB + Alum	IP67
More	SMD/ DIP	OEM	OEM	IP65/67/68

LED Tube Light

IlluTube for house, shop, supermarket lighting. Light-box back lighting.

Model	Light source	LEDs	Shell	Watt/ Lumen
T52A	SMD3528	88LED	PVC + Alum	7W/ 850lm
T82A	SMD3528	86LED	PVC + Alum	6W/ 560lm
T84A	SMD3528	172LED	PVC + Alum	13W/ 1120lm
T82B	SMD3014	88LED	PVC + Alum	9W/ 925lm
T84B	SMD3014	176LED	PVC + Alum	18W/ 1950lm
T84AS	SMD3528	288LED	PVC + Alum	18W/ 1360lm
T102A	SMD3528	162LED	PVC + Alum	14W/1220lm
T104A	SMD3528	324LED	PVC + Alum	20W/1745lm
T102B	SMD3014	162LED	PVC + Alum	15W/1610lm
More	SMD3528/ 2835/ 3014/ 5630			



LED Flood Light

IlluFlood for light-box, counter lighting, edge lighting.



Model	Light source	LEDs	Material	Waterproof
10X	Epileds COB	10W	Die-cast Alum	IP67
20X	Epileds COB	20W	Die-cast Alum	IP67
30X	Epileds COB	30W	Die-cast Alum	IP60
50X	Epileds COB	50W	Die-cast Alum	IP67
70X	Epileds COB	70W	Die-cast Alum	IP67
80X	Epileds COB	80W	Die-cast Alum	IP67
100X	Epileds COB	100W	Die-cast Alum	IP67
RGB	Epileds COB	30W	Die-cast Alum	IP67
OEM				




IlluTank Opto Co.,Ltd
 www.illutank.com
 Tel: 86-0755-29982105
 info@illutank.com

LED sign source series

LED Pixel Dot String


IlluDot for pixel dot channel letter sign.

Model	Light source	Color	Shell	Waterproof
400R	DIP F5	Red	Transparent PVC	IP67
400W	DIP F5	White	Transparent PVC	IP67
400Y	DIP F5	Yellow	Transparent PVC	IP67
400R	DIP F5	Blue	Transparent PVC	IP67
500F	DIP F8	RGB	Transparent PVC	IP67
500F	DIP F8	RGB	Transparent PVC	IP67
500F	DIP F8	RGB	Transparent PVC	IP67
I500F	DIP F8	RGB	Transparent PVC	IP67
More	SMD/ DIP	R/G/B	Transparent PVC	IP67



Related accessory

For IlluTank LED light solution.



Power Driver					
IP65	Waterproof	30W	60W	100W	200W
	Non WPF	30W	60W	100W	300W
Controller					
RGB	RF control		24Key	44Key	
	Wireless control		4key	24key	44Key
2 Pin		4 Pin		Connector	
Current constant		Voltage constant		Dimmer	
OEM available					



*Please consider the environment before printing!